

7-088-05

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

93541950
IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7474

GENERATOR

FACILITY

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. CAD 086510005	Manifest Document No. 58122	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address DOUGLAS AIRCRAFT CO 19503 S NORMANDIE AVE MAIL CODE C6-59 TORRANCE CA 4. Generator's Phone G10 533-7926			A. State Manifest Document Number 93541950		
5. Transporter 1 Company Name SAFETY-KLEEN CORP.			B. State Generator's ID HAHQ36005698		
6. US EPA ID Number ILD 984908202			C. State Transporter's ID 439627		
7. Transporter 2 Company Name			D. Transporter's Phone 800 669-5740		
8. US EPA ID Number			E. State Transporter's ID		
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 2120 SOUTH YALE ST SANTA ANA, CA 92704			F. Transporter's Phone		
10. US EPA ID Number 0-005-04 CAT 000613976			G. State Facility's ID CAT000613976		
H. Facility's Phone 714 241-7047					
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number State EPA/Other
a. RG WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII (D001) (ERG#27) 6.7 LBS/GAL		006 DM	00106	G	741 D001
b.					State EPA/Other
c.					State EPA/Other
d.					State EPA/Other
J. Additional Descriptions for Materials Listed Above (A) D039 D018		K. Handling Codes for Wastes Listed Above a. 14 AND 01 b. c. d.			
15. Special Handling Instructions and Additional Information 9406 64406341 258122 7-088-05-718/ 14 EMERGENCY RESP#708-888-4660 24HR SKDOT# A: 585 B: C: D:					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name Robert G. Tuell, Jr.		Signature Robert G. Tuell, Jr.		Month Day Year 02 10 94	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Joseph M'Courtney		Signature Joseph M'Courtney		Month Day Year 02 10 94	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name EDUARDO PEREZ		Signature [Signature]		Month Day Year 02 10 94	

DO NOT WRITE BELOW THIS LINE.

**UNIFORM HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

CAD 086510005

Manifest Document No.

58122

2. Page 1

of 1

Information in the shaded areas
is not required by Federal law.

3. Generator's Name and Mailing Address

DOUGLAS AIRCRAFT CO

A. State Manifest Document Number

93541950

19503 S NORMANDIE AVE

MAIL CODE C6-59

ATTN: R. TUELL

TORRANCE CA

90502

4. Generator's Phone

G10 533-7926

B. State Generator's ID

HAHQ36005698

5. Transporter 1 Company Name

SAFETY-KLEEN CORP.

6. US EPA ID Number

ILD 984908202

C. State Transporter's ID

439627

7. Transporter 2 Company Name

8. US EPA ID Number

D. Transporter's Phone

800 669-5740

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address

SAFETY-KLEEN CORP

2120 SOUTH YALE ST

SANTA ANA, CA 92704

10. US EPA ID Number

0-005-04

G. State Facility's ID

CAT000613976

H. Facility's Phone

714 241-7047

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)

a. RG WASTE COMBUSTIBLE LIQUID, N.O.S.
(PETROLEUM NAPHTHA) NA1993 PGIII(D001)
(ERG#27) 6.7 LBS/GAL

12. Containers

No. Type

DM

13. Total

Quantity

14. Unit

Wt/Vol

G

I. Waste Number

State 741

EPA/Other D001

b.

c.

d.

State

EPA/Other

State

EPA/Other

State

EPA/Other

J. Additional Descriptions for Materials Listed Above

1(A) D039 D018

K. Handling Codes for Wastes Listed Above

a. 14 AND 01

b.

c.

d.

15. Special Handling Instructions and Additional Information

9406 64406341 258122 7-088-05-7187 14
EMERGENCY RESP#708-888-4660 24HR

SKDDT# A:

585 B:

C:

D:

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Robert G. Tuell, Jr.

Signature

Robert G. Tuell, Jr.

Month

02

Day

10

Year

94

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Joseph M'Gortney

Signature

Joseph M'Gortney

Month

02

Day

10

Year

94

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month

Day

Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month

Day

Year

DO NOT WRITE BELOW THIS LINE.



7-088-05

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)EPA ID NO. CAT000613976
(DESIGNATED FACILITY)1120 SOUTH YALE ST
ADDRESS: SANTA ANA, CA 92704

Under manifest/sales service number 93541950,
the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance
with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this
form must be kept by the generator and facility for five (5) years from the date of waste shipment.

✓	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
PLEASE CHECK THE APPROPRIATE BOXES	<input checked="" type="checkbox"/> Waste Petroleum Naphtha	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) \geq 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.42) (non-waste water) Not Established Not Established
	<input type="checkbox"/> Waste Petroleum Naphtha	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
	<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D008, D039,	All of the above, plus: Cadmium Lead Tetrachloroethylene	1.0 (non-waste water) 5.0 (non-waste Water) Not Established
	<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's \geq 1000 mg/l Cadmium Chromium Lead Benzene Chlorobenzene 1, 4-Dichlorobenzene Tetrachloroethylene Trichloroethylene	INCIN (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste Water) Not Established Not Established Not Established Not Established
	<input type="checkbox"/> Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
	<input type="checkbox"/> Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
	<input type="checkbox"/> Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
	<input type="checkbox"/> Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
	<input type="checkbox"/> Waste Petroleum Naphtha (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) Not Established
	<input type="checkbox"/> Waste Paint Related Material	F003, F005, F003, F005, F003, F003, F003, D001, D006, D007, D008, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	160.0 (non-waste water) 36.0 (non-waste water) 33.0 (non-waste water) 28.0 (non-waste water) 28.0 (non-waste water) 0.75(non-waste water) INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water)
	<input type="checkbox"/> Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

* These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: DOUGLAS AIRCRAFT COMPANY

EPA ID NO.: CAD086510005

Generator's Signature

X

Robert G. Tuell, Jr.

Date: 02-10-94

Printed Name and Title of Generator: Robert G. Tuell, Jr.

Senior Plant Engineer

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.



1000 North Randall Road
Elgin, Illinois 60123-7857



FOR SERVICE CALL

TRANSPORTER

DUNS NO. 05106-0408 FED. ID NO. 39-6090019

SCHEDULED SERVICE WEEK	SCHEDULED SERVICE TERRITORY	REFERENCE NUMBER
94- 6	14	258122

MANIFEST NUMBER

9354/1950

714-435-0605 ROB MERIDETH

LDR REQ'D 2200+ CA

714-435-1862

714-435-9206

CA 90502

7-088-05-7187-9

DOUGLAS AIRCRAFT

ATTN JOE E DEPT 71606-14

9503 S NORMANDIE

TORRANCE

SERVICE DATE		SALESMEN'S NO.	SALES TAX EXEMPTION NUMBER	HANDLING CODE	CREDIT CODE	SALES TAX CODE			PREVIOUS BALANCE	PORTION OVER 60 DAYS	
2-9-94		6843		5	C	05-095-8937					
BUSINESS TYPE	CHAIN	CUSTOMER P.O. NUMBER		GENERATOR'S/CUSTOMER PHONE #		O.C.	SVC P/S	PROD. P/S	SERVICE TAX	C.O.M.S. TAX	PRODUCT TAX
09	0079			110-533-6686		10	923	001	0.0825		0.0825

SERVICE NO.	SERIAL NO.	SERVICE CHARGE	SALES TAX	TOTAL CHARGE	SERVICE TERM	CHANGE SERVICE TERM (WEEKS) (INITIAL)	CHANGE SCHEDULED DATE (Y/Y/W)	SOLVENT CLEAN SPENT	INV. CODE	REMARKS
1	440-00192	220.75	18.21	238.96	08			XXXXX		
2	440-03203	220.75	18.21	238.96	08			XXXXX		
3	440-03988	220.75	18.21	238.96	08			XXXXX		
4	440-16244	220.75	18.21	238.96	08			XXXXX		UPPER OIL CHARGE
5										
6										
7										
8										
9										
10										
11										
12										

TOTAL SERVICE SECTION	602.25	54.63	716.88	883.00	72.84	455.84	MACHINE CONDITION & CLEANLINESS	GOOD <input checked="" type="checkbox"/> POOR <input type="checkbox"/>	DECALS IN PLACE AND LEGIBLE	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	MACHINE PROPERLY GROUNDED	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
MACHINE INSPECTION SECTION	(PLEASE CHECK APPROPRIATE BOXES ON RIGHT) →						LAMP ASSEMBLY CONDITION	GOOD <input checked="" type="checkbox"/> POOR <input type="checkbox"/>	FUSIBLE LINK INSTALLED	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	LOCAL PHONE NO. STICKER AFFIXED TO MACHINE	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

STE INFORMATION SECTION	USEPA TRANSPORTER ID NO.	GENERATOR USEPA ID NO.	GENERATOR STATE ID NO.
	ILD984908202	CAD086510005	

US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID.)	CONTAINERS NO.	TYPE	TOTAL QUANTITY	UNIT WT/VOL	SK DOT NUMBER	I CERTIFY THAT MY TOTAL WASTE STREAMS ARE WITHIN ONE OF THE FOLLOWING CATEGORIES.
WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII (D001) (ERG27) 6.7 LBS/GAL	6	DM	106	G	585	0 TO 220 LBS./MONTH INITIALS _____

						220 LBS. TO 2,200 LBS./MONTH INITIALS _____
						GREATER THAN 2,200 LBS./MONTH INITIALS <u>RGS</u>

DESIGNATED FACILITY NAME AND ADDRESS	SAFETY-KLEEN CORP.	USA EPA ID NO.
2120 SOUTH YALE ST	SANTA ANA, CA 92704	CA1000613976

STATE ID NO.	CA1000613976
--------------	--------------

PRODUCT SALES SECTION											
SOLD ON PREVIOUS SERVICES			PRODUCT NUMBER	DESCRIPTION	MSDS GIVEN	PRICE	U/M	QUANTITY DELIVERED	SALES AMOUNT	TAX	LINE TOTAL
2 PRIOR	PRIOR	LAST									
					<input type="checkbox"/>						
					<input type="checkbox"/>						
					<input type="checkbox"/>						

PAYMENT RECEIVED SECTION		
CASH <input type="checkbox"/>	TOTAL RECEIVED	APPLY PAYMENT TO:
CHECK NUMBER		<input type="checkbox"/> TODAY'S SERVICE/SALE
		<input type="checkbox"/> PREVIOUS BALANCE AS FOLLOWS
INV. #	AMOUNT \$	
INV. #	AMOUNT \$	
INV. #	AMOUNT \$	

TOTAL PRODUCT AMOUNTS	TOTAL SERVICE AMOUNT (FROM ABOVE)
CHARGE MY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION. THE RECLAMATION AGREEMENT, ADDITIONAL TERMS AND CONDITIONS, AND OTHER INFORMATION APPEARING ON THE REVERSE SIDE ARE SUBJECT TO AN INTEREST CHARGE OF THE LESSOR OF 1% PER MONTH (18% PER ANNUM) OR THE MAXIMUM RATE ALLOWED BY LAW ON ANY UNPAID INVOICES THAT ARE NOT PAID WITHIN 30 DAYS.	TOTAL DUE 716.88
IN THE EVENT OF DEFAULT, SAFETY-KLEEN SHALL BE ENTITLED TO RECOVER COSTS OF COLLECTION, INCLUDING REASONABLE ATTORNEY'S FEES.	
This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.	
X Robert G. Tuell, Jr. Print Name Robert G. Tuell, Jr.	
GENERATOR/DESIGNATED REPRESENTATIVE SIGNATURE	

IN THE EVENT OF AN EMERGENCY CALL
1-708-888-4660 (24 hours)

SEE REVERSE SIDE FOR IMPORTANT INFORMATION

BOE-C6-0206161

FORM NO. 700-08-12 (REV. 1/94)

SERVICE AND SALES ACKNOWLEDGEMENT

CUSTOMER

**DIRECTIONS FOR SAFE, EFFECTIVE USE OF THE SAFETY-KLEEN PARTS WASHER UNIT
AND SAFETY-KLEEN IMMERSION CLEANER UNIT. READ BEFORE USING.**

I. SAFETY-KLEEN PARTS WASHER SOLVENT

Safety-Kleen solvent is a high flash, hydrocarbon solvent suitable for use in degreasing applications.

A. Combustibility

Safety-Kleen solvent is a combustible material. That means it will burn under certain conditions. Your Safety-Kleen parts washer should not be installed where it can be exposed to heat, sparks or open flame; nor should there be any smoking nearby while a Safety-Kleen parts washer is in use.

B. In Case of Fire

Use dry chemicals, foam or carbon dioxide to extinguish flame. The safety fusible link is designed to melt and allow the cover to fall shut and smother any flames.

C. Toxicity

Safety-Kleen solvent is by definition considered only slightly toxic to relatively non-toxic. Avoid inhaling or swallowing the Safety-Kleen solvent and its coming in contact with your skin, face and eyes. If taken internally, splashed in your eyes, inhaled, or upon contact with your skin, face or eyes, follow the instructions below for treatment.

1. Skin contact-Remove contaminated clothing. Wash skin twice with soap and water. If irritation or pain develops or persists, consult a physician.
2. Eyes-Wash with plenty of water. Call a physician immediately.
3. Internally-Do not induce vomiting. Call physician immediately. Guard against inhaling solvent into lungs.
4. Inhalation-Avoid Breathing solvent vapors. Adequate ventilation should be provided in any area where the Safety-Kleen parts washer is being used.
5. Clothes-If your clothes become saturated with solvent, change clothes immediately. Above all, do not smoke or go near an open flame or sparks while clothes are wet with solvent.

II. USE OF YOUR SAFETY-KLEEN PARTS WASHER

A. Avoid leaving large parts or tools in your parts washer which might prevent the lid from closing in case of a fire in your place of business.

B. Avoid leaving solvent soaked rags either in your parts washer, wadded up on workbenches or in uncovered containers. Do not put a solvent soaked rag in your pocket. It will cause a skin rash at point of contact.

C. If you use a soaking pan, make certain that its height is less than the sink height and empty it into the sink as soon as you have finished using your parts washer.

D. Do not let open pans of solvent sit either in the sink or anywhere else around your place of business.

E. Safety-Kleen cannot accept for reclamation materials other than the solvents originally supplied and the materials removed from the parts cleaned. Therefore, additional solvents or other materials must not be added to the machine. You should note that even small amounts of low flash point materials (such as gasoline) lower the flash point of Safety-Kleen solvent substantially.

F. If, for any reason, the fusible link should break or fail, call you local Safety-Kleen branch for a replacement. Do not use a cotter key or other device to hold the lid up. The fusible link is checked each time a Safety-Kleen man services your unit and if the safety link is faulty, it will be replaced. If it breaks between our service periods, call for a replacement immediately.

G. Do not place extremely heavy objects in one end of the parts washer unit. The parts washer is very stable but an extremely heavy object could result in the washer being tipped if it is bumped, causing the solvent to dump out on your floor.

H. Any and all solvent spills should immediately be soaked up with absorbent material, such as Safety-Kleen absorbent, and the solvent soaked material should be removed from the shop area. Contact Safety-Kleen for disposal.

I. Part of Safety-Kleen's service is immediate repair or replacement of your parts washer should there be any failure of any kind. Simply call your local Safety-Kleen branch. The number is on the parts washer lid.

J. Your Safety-Kleen parts washer should be plugged into a grounded outlet. Under no circumstances should a grounding prong be snipped off the plug. Safety-Kleen provides, at no charge, an adapter which permits grounding on two-prong electrical outlets.

K. Do not remove solvent from your parts washer.

III. SAFETY-KLEEN IMMERSION CLEANER SOLVENT

Immersion Cleaner Solvent is a mixture of aromatic naphtha cleaning solvents and N-Methyl-2-Pyrrolidone for use in removing varnish formed on automotive parts such as carburetors, transmissions, etc.

A. Combustibility

Safety-Kleen Immersion Cleaner is a combustible material. That means it will burn under certain conditions. Your Safety-Kleen Immersion Cleaner should not be installed where it can be exposed to heat, sparks or open flame; nor should there be any smoking nearby while a Safety-Kleen Immersion Cleaner unit is in use.

B. In Case of Fire

Use dry chemicals, foam or carbon dioxide to extinguish flame.

C. Toxicity

This solvent contains aromatic 150, N-Methyl-2-Pyrrolidone and Monoethanolamine. DO NOT BREATHE VAPORS! HARMFUL OR FATAL IF SWALLOWED! DO NOT INDUCE VOMITING! CALL A PHYSICIAN IMMEDIATELY. KEEP AWAY FROM EYES! WASH IMMEDIATELY AND COPIOUSLY WITH RUNNING WATER. CALL A PHYSICIAN.

Avoid contact with skin and clothing. If solvent is inadvertently spilled on skin or clothes wash immediately with running water. Remove clothes as quickly as possible and discard.

SAFE USE OF YOUR SAFETY-KLEEN IMMERSION CLEANER

IV. 1. Keep away from heat, sparks and flame. Do not place hot parts in solvent.

2. Use only solvent provided. DO NOT ADD OTHER CHEMICALS TO THE CLEANING SOLVENT, INCLUDING BUT NOT LIMITED TO KEROSENE, FUEL OIL, GASOLINE, DETERGENTS, CHLORINATED SOLVENTS OR ANY MATERIAL CONTAINING POLYCHLORINATED BIPHENYLS.

The use of any other solvents potentially causes a hazardous condition over which Safety-Kleen has no control.

3. Do not smoke, drink or eat in work area.

4. Use only in well ventilated locations. Avoid repeated and/or prolonged breathing of vapors. Vapors are heavier than air and will collect in low areas.

5. Avoid contact with eyes. Use protective eye wear such as chemical goggles.

6. Avoid contact with skin. Use protective gloves and protective clothing.

Should you desire any further information about our solvent, our service or our company, please do not hesitate to write or call - Phone No. 1-800-669-5740. The Safety-Kleen parts washer is covered under Directive #100-22, issued by the Occupational Safety and Health Administration's Director, Office of Standards, dated February 20, 1973.

RECLAMATION AGREEMENT

Safety-Kleen agrees as part of this machine placement, to collect for reclamation from Customer the used solvent supplied by Safety-Kleen to the machine. Collection of the used solvent shall be on a periodic basis as otherwise provided herein. Safety-Kleen shall reclaim the used solvent for redelivery. Safety-Kleen has the capacity and is permitted to accept, store and reclaim the spent solvents described on this document.

Safety-Kleen and Customer agree that this agreement is intended to satisfy the requirements of 40 Code of Federal Regulations 262.20(e), as amended, and any state regulations which implement said provision. Customer agrees to keep this form on file for 3 years from the date of last service.

ADDITIONAL TERMS AND CONDITIONS

Safety-Kleen agrees to furnish the above service on its equipment, and Customer agrees that all servicing, repair and maintenance of the equipment shall be performed by Safety-Kleen only. All equipment and solvent shall remain the property of Safety-Kleen and shall be returned to Safety-Kleen upon termination of service. Customer agrees to pay for replacement of equipment due to loss or damage.

Customer agrees that it will not mix the solvent provided hereunder with other materials, that it will not introduce any substance into the solvent which is regulated as hazardous waste or which contains polychlorinated biphenyls, and that it will not otherwise cause the alteration of the characteristics or components of the solvents.

Customer agrees to indemnify and hold harmless Safety-Kleen, its officers, directors, employees and agents from and against any and all losses, expenses, damages, demands and claims based upon any injury, death or damage arising out of Customer's acts or omissions and to pay any and all damages costs and expenses (including reasonable attorneys' fees) in connection therewith. Customer agrees that Safety-Kleen is not responsible for any violation, loss or claim arising from noncompliance with pollution control laws caused by release of solvent to the environment from the unit or resulting from customer handling, including, but not limited to, spills into adjacent waterways, sewer lines or ground water, however caused. Safety-Kleen accepts responsibility for any spill caused by its agents in connection with the installation or servicing of the machine by Safety-Kleen.

Customer agrees that service hereunder will continue until Customer or Safety-Kleen terminate service. The Termination will only be effective after receipt by the non-terminating party of written notice of termination to be received on the greater of 30 days prior to the date of cancellation or the length of the service interval appearing in the Machine Placement section; provided, however, if Customer is a party to a One-Year Service Agreement with Safety-Kleen, Customer shall not have the right to terminate said Contract except as provided in said Contract.



SANTA ANA MASTER BRANCH

7-088-05

FAX LEAD SHEET

DATE 2-11-94 TIME _____

PLEASE DELIVER THESE 3 PAGES
INCLUDING THIS COVER PAGE TO:

NAME: ROB TULL

FIRM: DOUGLAS AIRCRAFT

CITY: _____

PHONE #: _____

FAX #: 310 533-6612

SENDER: DAVID

IF THERE IS ANY PROBLEM OR IF YOU DO NOT RECEIVE ALL THE PAGES,
PLEASE CALL AS SOON AS POSSIBLE.

OPERATOR'S PHONE (714) 435-0605

OPERATOR'S FAX (714) 435-9923

ANY QUESTIONS, CALL ROBIN SKDOT DEPT
1-800-669-5740 EXT. 2184

§172.102

49 CFR Ch.I (10-1-93 Edition)

Subpart C—Shipping Papers

§172.200 Applicability.

(a) *Description of hazardous materials required.* Except as otherwise provided in this subpart, each person who offers a hazardous material for transportation shall describe the hazardous material on the shipping paper in the manner required by this subpart.

(b) This subpart does not apply to any material, other than a hazardous substance, hazardous waste or marine pollutant, that is—

(1) Identified by the letter "A" in Column 1 of the §172.101 Table, except when the material is offered or intended for transportation by air; or

(2) Identified by the letter "W" in Column 1 of the §172.101 Table, except when the material is offered or intended for transportation by water; or

(3) An ORM-D, except when the material is offered or intended for transportation by air.

[58 FR 50235, Sept. 24, 1993 / Effective Oct. 1, 1993]

§172.201 General entries.

(a) *Contents.* When a description of hazardous material is required to be included on a shipping paper, that description must conform to the following requirements:

(1) When a hazardous material and a material not subject to the requirements of this subchapter are entered on the same shipping paper, the hazardous material description must be entered first, followed by the description of the material not subject to the requirements of this subchapter, required by §172.202 and those of §172.203:

(i) Must be entered first,

(ii) Must be entered in a

on the shipping paper of a

subchapter, except that a d

may be highlighted, rather

provisions of this paragraph

§172.202(a) (1) and (2), and

(iii) Must be identified by

shipping name in a column

"RQ," if appropriate.)

(2) The required shipping

thereof used for transportation purposes,

(manually or mechanically) in English

(3) Unless it is specifically authorized or required in this subchapter, the

required shipping description may not contain any code or abbreviation.

✗(4) A shipping paper may contain additional information concerning the

material provided the information is not inconsistent with the required

description. Unless otherwise permitted or required by this subpart,

Section 15

contrasts with any description
subject to the requirements of this
production of a shipping paper
, in a contrasting color (the
e basic description required by

"X" placed before the proper

(The "X" may be replaced by

shipping paper and all copies

must be legible and printed

Research and Special Programs Administration, DOT

§172.201

additional information must be placed after the basic description required by §172.202(a).

(b) *Name of shipper.* A shipping paper for a shipment by water must contain the name of the shipper.

(c) *Continuation page.* A shipping paper may consist of more than one page, if each page is consecutively numbered and the first page bears a notation specifying the total number of pages included in the shipping paper. For example, "Page 1 of 4 pages."

(d) *Emergency response telephone number.* A shipping paper must contain an emergency response telephone number, as prescribed in subpart G of part 172 of this subchapter.

§172.202 Description of hazardous material on shipping papers.

(a) The shipping description of a hazardous material on the shipping paper must include:

(1) The proper shipping name prescribed for the material in Column 2 of the §172.101 Table;

* (2) The hazard class or division prescribed for the material as shown in Column 3 of the §172.101 Table (class names, or subsidiary hazard class or division number may be entered following the numerical hazard class, or following the basic description). The hazard class need not be included for the entry "Combustible liquid, n.o.s.";

(3) The identification number prescribed for the material as shown in Column 4 of the §172.101 Table;

(4) The packing group, in Roman numerals, prescribed for the material in Column 5 of the §172.101 Table, if any. The packing group may be preceded by the letters "PG" (e.g., "PG II"); and

(5) Except for cylinders for Class 2 (e total quantity (by net including the unit of measurement) in the description (e.g., "800 Class 2 (compressed gas) of total quantity must

(b) Except as provided in paragraphs (a) (1), (2), with no additional information, "1203, PG II".

(c) The total quantity must appear before or after, as authorized by this subchapter, may be entered in any appropriate manner before or after the basic description. Abbreviations may be used to express units of measurement and types of packagings.

see §173.29 of this subchapter), materials, and bulk packagings, the hazard class, or as otherwise appropriate), hazardous material covered by the "9 kg", or "208 L"). For cylinders for bulk packagings, some indication "cylinders" or "1 cargo tank").

the basic description specified in this section must be shown in sequence and. For example: "Gasoline. 3. UN

covered by one description must appear after, the description required and packaging and destination marks